ICY BOX 11-in-1 USB Type-C hub with card reader and PD

Gamintojas: **RAIDSONIC** · Modelis: **IB-HUB1742CR-C2PD** · EAN: **4250078174936** · Prekės kodas: **976972**



78.90€

Kaina su PVM

Be PVM: **65.21€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-A + Type-C
- ✓ Hub interfaces: USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C
- ✓ Ports quantity: 11
- ✓ 10000 Mbit/s
- ✓ USB Power Delivery (USB PD)
- ✓ Card reader integrated MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
- ✓ Black Aluminium













Aprašymas

11-in-1 USB Type-C® hub with card reader and PD

Multi-connectivity

Ideal for content creators, editors, and professionals who juggle multiple devices. With 11 ports, including two USB-C® and one USB-A at 10 Gbit/s, plus SD®/microSD® card readers at up to 104 MB/s, it handles all your connections with ease.

Durable aluminum build

Built with sturdy aluminum, the hub effectively manages heat while maintaining a clean, modern look. It’s made to last and keeps your workspace both functional and stylish.

Power Delivery

Includes two USB-C® PD ports delivering up to 22 W each, or up to 45 W when one is used solo. The 100 W upstream port charges notebooks while the LED display helps manage power usage efficiently.

Real-time LED display

The built-in LED shows current power output in watts. It gives you clear, real-time visibility to monitor and adjust power distribution as needed.

Integrated cable with dual connection

An attached cable with a USB-C® to USB-A adapter makes switching between different host devices simple. Whether you’re on a MacBook or a standard PC, it’s ready to connect.

Operating system

Supports both Windows® and macOS®. Whether you're using USB-C® or USB-A, it connects easily without extra drivers.

All-round talent

An 11-port USB hub with two PD ports, real-time wattage display, card readers and an integrated USB-C®/A cable – perfect for power users running Windows® and macOS®.

Multi-connectivity

For content creators, editors, and professionals who manage multiple devices daily. It provides 11 ports, including two USB 3.2 Gen 2 Type-C® and one USB Type-A port, delivering speeds of up to 10 Gbit/s. It also features three USB 3.2 Gen 1 Type-A ports with BC 1.2 fast charging and integrated SD®/microSD® card readers with up to 104 MB/s for quick file transfers.

Durable aluminum build

Made from robust aluminum, this hub is designed for efficient heat dissipation. The sleek design makes it a reliable and stylish addition to any workspace. This durable construction allows long-term use and keeps temperatures in check during demanding tasks.

Power Delivery

The device is equipped with two dedicated USB Type-C® ports for PD, offering up to 22 watts each. One port can even provide up to 45 watts when used alone. The 100 W PD upstream port powers notebooks and devices, and the real-time LED wattage display helps you track power usage for optimal management.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Ports & interfaces	
Ports quantity	11
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-A + Type-C
Hub interfaces	USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
Card reader integrated	Yes
Card reader slot	2
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
Features	
Data transfer rate	10000 Mbit/s
Product colour	Black
Housing material	Aluminium
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
LED indicators	Yes
Cable type	Round cable
Hot-swap	Yes
Cable length	0.6 m
Plug and Play	Yes
Country of origin	China
Network	
UASP support	Yes
Power	
Power supply type	USB/DC
Input voltage	24 V
Input current	3 A
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Weight & dimensions	
Width	47 mm
Depth	160 mm
Height	17 mm
Weight	183 g
Packaging data	
Quantity per pack	1 pc(s)
Package weight	726 g
Package type	Box
Packaging content	
AC adapter included	Yes
Manual	Yes
Other features	
Chipset	GL3590+AW3410*3+RM1211+FL7102
Matmenys ir svoris	
Matmenys (I × P × A)	10.00cm × 10.00cm × 10.00cm
Svoris	0.73kg

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

RaidSonic Technology GmbH
Kurt-Fischer-Strasse 50, D-22926 Ahrensburg, DE
icybox.de

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt