ACT 25 meters HDMI High Speed 4K Active Optical Cable with detachable connector v2.0 HDMI-A male - HDMI-A male

Gamintojas: **ACT** · Modelis: **AK4103** · EAN: **8716065482706** · Prekės kodas: **977087**



120.90€

Kaina su PVM

Be PVM: **99.92€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ The solution for 4K @ 60Hz over long distances without data loss
- ✓ Detachable connector, protector and pulling eye for safe and easy installation
- ✓ Ultra slim and flexible, easy to pull through both conduits and plenum spaces
- ✓ 18Gbps bandwidth to handle 4K @ 60Hz 4:4:4
- ✓ Kevlar protected fiber, aluminium foiled shielding
- ✓ Suitable for sensitive applications due to low RFI / EMI
- ✓ Hybrid fiber/copper design requires no extra power
- ✓ Supports HDR / HDCP 2.2 / EDID / DDC / CEC
- ✓ Available up to 100 meters









Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

The ACT AOC 4K HDMI cable is made of copper and fiber to connect different devices over long distances up to 100 m without the loss of data. The Active Optical Cable has a bandwidth of 18Gbps 4:4:4 to handle the resolution of 3840x2160 (4K) @ 60Hz. The cable is supplied on a coil and comes with a detachable plug and protector with pulling eye for easy installation through conduits and plenum spaces. Additionally, the cable supports: HDR, HDCP 2.2, EDID, DDC, CEC, Multi-channel audio, Dolby True HD, DTS-HD Master Audio and ARC.

AOC: copper and glass for longer distances and the best video and audio quality

The AOC (Active Optical Cable) cable is made of copper and fiber for transferring 4K@60Hz over long distances up to 100m without data loss. It has a bandwidth of 18Gbps 4:4:4. The cable has a Kevlar protected fiber, an aluminium foiled shielding and is suitable for sensitive applications due to low RFI/EMI. The cable is supplied on a coil.

Resolution of 4K @ 60Hz

This HDMI 4K cable supports a resolution of 3840x2160 @ 60Hz. This resolution is compatible with: HDMI 2.0, HDMI 1.4a, HDMI 1.4, HDMI 1.3a and HDMI 1.3. Furthermore, the cable supports High Dynamic Range (HDR) video for expansive contrast ratio and color accuracy, HDCP 2.2, EDID, DDC, CEC, Multi-channel audio, Dolby True HD, DTS-HD Master Audio and ARC.

Ultra slim flexible cable with detachable connector for easy installation

The flexible cable is ultra slim and can be easily pulled through narrow electrical conduits and plenum spaces. Just disconnect the detachable plug from the cable and wrap the protector with pulling eye around the cable. Pull the flexible cable through a conduit and remove the protector and reconnect the detachable plug to the cable.

Optional: connect an external power supply

The AOC cable comes with a USB power cable for optionally connect an external 5V power supply. This is only required in cases when the HDMI port of the transmitter delivers insufficient power.

Additional features

It is important that the cable is connected correctly. The ACT AOC HDMI cable is marked to ensure easy identification of the source and display connector.

Techninė specifikacija

Features	
Cable length	25 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Copper
Connector 1 form factor	Straight
Connector 2 form factor	Straight

Supported graphics resolutions	3840 x 2160
Audio Return Channel (ARC)	Yes
HDCP	Yes
HDCP version	2.2
Data transfer rate	18 Gbit/s
Cable material	Fibre optic/Copper
Cable type	Round cable
Cable jacket material	Polyvinyl chloride (PVC)
Colour sampling	4:4:4
Extended display identification data (EDID)	Yes
Weight & dimensions	
Cable diameter	4.5 mm
Packaging data	
Quantity per pack	1 pc(s)
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Svoris	1.00kg

Gamintojo ir saugos informacija

MANUFACTURER

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt