# ACT 10 meters DisplayPort 1.4 Active Optical Cable 8K with detachable connector

Gamintojas: **ACT** · Modelis: **AK4150** · EAN: **8716065483246** · Prekės kodas: **977088**



**130.90€**

Kaina su PVM

Be PVM: **108.18€**

In Stock


**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ The solution for 8K @ 60Hz over long distances without data loss
- ✓ Detachable connector for safe and easy installation
- ✓ Ultra slim and flexible, easy to pull through both narrow electrical conduits and plenum spaces
- ✓ 32.4Gbps bandwidth to handle 8K @ 60Hz 4:4:4
- ✓ Kevlar protected fiber, aluminium foiled shielding
- ✓ Suitable for sensitive applications due to low RFI / EMI
- ✓ Hybrid fiber/copper design requires no extra power
- ✓ Supports HDR / HDCP 2.2 / EDID / DDC / CEC
- ✓ Available up to 30 meters





Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

## Aprašymas

The ACT AOC 8K DisplayPort cable is made of copper and fiber to connect different devices over long distances up to 30 m without the loss of data. The Active Optical Cable has a bandwidth of 32.4Gbps 4:4:4 to handle the resolution of 7680x4320 (8K) @ 60Hz. The cable is supplied on a coil and comes with a detachable plug for easy installation through electrical conduits and plenum spaces. Additionally, the cable supports: HDR, HDCP 2.2, EDID, DDC, CEC, Multi-channel audio, Dolby True HD, DTS-HD Master Audio and ARC.

### AOC: copper and glass for longer distances and the best video and audio quality

The AOC (Active Optical Cable) cable is made of copper and fiber for transferring 8K @ 60Hz over long distances up to 100m without data loss. It has a bandwidth of 32.4Gbps 4:4:4. The cable has a Kevlar protected fiber, an aluminium foiled shielding and is suitable for sensitive applications due to low RFI/EMI. The cable is supplied on a coil.

### Resolution of 8K @ 60Hz

This 8K DisplayPort cable supports a resolution of 7680x4320 @ 60Hz. Furthermore, the cable supports High Dynamic Range (HDR) video for expansive contrast ratio and color accuracy, HDCP 2.2, EDID, DDC, CEC, Multi-channel audio, Dolby True HD, DTS-HD Master Audio and ARC.

### Ultra slim flexible cable with detachable connector for easy installation

The flexible cable is ultra slim and can be easily pulled through narrow electrical conduits and plenum spaces. Simply disconnect the detachable plug from the cable. Pull this flexible cable through a conduit and reconnect the detachable plug to the cable.

### Additional features

It is important that the cable is connected correctly. The ACT AOC DisplayPort cable is marked to ensure easy identification of the source and display connector.

## Techninė specifikacija

| Features | |
|---|---|
| Cable length | 10 m |
| Connector 1 | DisplayPort |
| Connector 2 | DisplayPort |
| Connector 1 gender | Male |
| Connector 2 gender | Male |
| Maximum resolution | 7680 x 4320 pixels |
| Product colour | Black |
| Connector 1 form factor | Straight |
| Connector 2 form factor | Straight |
| Connector contacts plating | Copper |
| DisplayPort version | 1.4 |
| Supported graphics resolutions | 7680 x 4320 |
| HDCP | Yes |

| | |
|---|---|
| Jacket material | Polyvinyl chloride (PVC) |
| Bandwidth | 32400 MB/s |
| **Weight & dimensions** | |
| Cable diameter | 4.5 mm |
| **Logistics data** | |
| Harmonized System (HS) code | 84733080 |
| **Matmenys ir svoris** | |
| Svoris | 1.00kg |

## Gamintojo ir saugos informacija

MANUFACTURER

**Intronics BV**
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

DISTRIBUTOR

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt