Lenovo S4520 480 GB 3.5" Serial ATA III 3D TLC NAND

Gamintojas: **LENOVO** · Modelis: **4XB7A17119** · EAN: **889488589197** · Prekės kodas: **977267**



1,053.90€

Kaina su PVM

Be PVM: **870.99€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 480 GB 3.5" Serial ATA III
- ✓ 79000 IOPS
- ✓ 30000 IOPS
- ✓ 3D TLC NAND
- ✓ Component for: Server/workstation

Aprašymas

The ThinkSystem S4520 Read Intensive SATA SSDs are advanced 6Gb SATA solid-state drives that use 144-layer Intel 3D NAND TLC Flash Memory technology to provide an affordable solution with industry leading performance.

This product guide provides essential presales information to understand the S4520 SSDs, their key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about S4520 SSDs and consider their use in IT solutions.

Techninė specifikacija

Features	
SSD capacity	480 GB
SSD form factor	3.5"
Interface	Serial ATA III
Memory type	3D TLC NAND
Component for	Server/workstation
Data transfer rate	6 Gbit/s

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Random read (4KB)	79000 IOPS
Random write (4KB)	30000 IOPS
Random latency - read (up to)	102 µs
Random latency - write (up to)	48 µs
Sequential latency - read (up to)	36 µs
Sequential latency - write (up to)	36 µs
Uncorrectable Bit Error Rate (UBER)	< 1 per 10^17 bits read
Mean time between failures (MTBF)	2000000 h
Drive writes per day (DWPD)	2.8
Certification	FCC Title 47, Part 15B, Class B EN-55035:2017 EN-55022:2006 EN-55032:2012 Low Voltage Directive (LVD) 2014/35/EU EMC Directive 2014/30/EU RoHS Directive 2011/65/EU WEEE Directive 2012/19/EU UL 60950-1, 2nd Edition, 2014-10-14 CSA C22.2 No. 60950-1-07, 2nd Edition, 2014-010 UL/CSA 62368-1, 2nd Edition AS/NZ CISPR 32:2015 AS/NZ CISPR 22:2009 +A1:2010 Taiwan BSMI EMC standard CNS 13438 Korea KCC Article 11.1 Morocco Decree # 2574-14 (EMC) Canada ICES-003 Japan VCCI China EFUP
Power	
Power consumption (write)	3 W
Weight & dimensions	
Width	257 mm
Depth	193 mm
Height	95 mm
Weight	484 g
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage relative humidity (H-H)	5 - 95%
Operating vibration	2.17 G
Non-operating vibration	3.13 G
Operating shock	1000 G
Non-operating shock	1000 G
Other features	
Endurance rating	2.5 PB

Gamintojo ir saugos informacija

MANUFACTURER

Lenovo Group Limited
Courtyard Xibeiwang East Road Building 2, No.10, 100094 Beijing, CN
lenovo.com

EU RESPONSIBLE PERSON

Lenovo France SAS
Rue des Deux Gares 20, 92500 Rueil-Malmaison, FR
lenovo.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt