ASUS PRO WS Z890-ACE SE Intel Z890 LGA 1851 (Socket V1) ATX

Gamintojas: **ASUS** · Modelis: **90MB1JC0-M0EAY0** · EAN: **4711387828892** · Prekės kodas: **977586**



569.90€

Kaina su PVM

Be PVM: **470.99€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ready for advanced AI PCs: Designed for the future of AI computing, with the power and connectivity needed for demanding AI applications
- ✓ Intel LGA1851 socket: Ready for Intel® Core™ Ultra 9, 7, and 5 desktop processors
- ✓ Robust performance: 16+2+1+2 teamed power stages, ProCool II power connectors, high-quality alloy chokes and durable capacitors
- ✓ Future-proofed connectivity: Thunderbolt™ 4, 10Gb & 2.5Gb Ethernet, two PCIe® 5.0 PCIe slots with full support for next-gen graphics cards, one PCIe 5.0 M.2 and three PCIe 4.0 M.2 slots and a USB 20Gbps front-panel header
- ✓ Exclusive AI and overclocking technologies: AI Overclocking, AI Cooling II, AI Advisor and NPU boost
- ✓ DIY-friendly design: PCIe Slot Q-Release Slim with SafeSlot, M.2 Q-Latch, BIOS FlashBack™, Q-Connector
- ✓ Server-grade IPMI remote management and onboard BMC: Hardware- and software-level management with a dedicated LAN port link to an onboard AST2600 BMC controller, plus ASUS Control Center Express software for real-time monitoring and management










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.





Aprašymas

The Pro WS Z890-ACE SE empowers workstation users of all levels by maximizing the performance of the latest Intel® Core™ Ultra Processor (Series 2) processors with 16+1+2+2 team power stages, DDR5 slots, PCIe® 5.0 and lightning-fast connectivity including Thunderbolt™ 4 port, 10Gb and 2.5Gb Ethernet.
The workstation motherboard is engineered to support dual graphics cards, making it an ideal choice for content creation, AI and deep learning, and IT management.

Thunderbolt™ Connectivity

The Pro WS Z890-ACE SE features a Thunderbolt™ 4 port, offering high-speed data transfers up to 40Gbps. This allows large files and datasets to be transferred in seconds, boosting productivity for workstation users, AI and deep learning experts, and IT managers. Thunderbolt™ 4 also supports multiple 4K displays or a single 8K display for clear and smooth visuals, essential for professional applications. Its strong compatibility with existing Thunderbolt™ and USB devices simplifies connectivity and management.

PCIe 5.0 Support

The Pro WS Z890-ACE SE offers PCIe 5.0 support to give unfettered bandwidth to the fastest SSDs and graphics cards available.

PCIe 5.0 Expansion Slots

Both of the x16 expansion slots are PCIe 5.0, offering incredible speeds of up to 64 GB/s for compatible devices. To bear the brunt of massive graphics cards, they are also protected with SafeSlot retention brackets, and the both slots can be released easily via Q-Release Slim.

Remote Control Solution
Onboard BMC
The Pro WS Z890-ACE SE workstation motherboard features compatibility with BMC connections, and it is bundled with ASUS Control Center Express software to provide comprehensive in-band and out-of-band management features for businesses and industries.

ASUS Control Center Express

A dedicated chipset heatsink draws heat away to maintain optimum operating temperatures, and it comes with an active fan to enhance thermal efficiency.

USB Port Management

Enable or disable the USB port, or set it to Read Only to prevent data leaks.

Software Blacklist

For added security, a software blacklist is available to help prevent the use of high-risk applications.

Registry Editor On/Off

Remotely disable the Registry Editor on client devices to prevent unauthorized changes to system configurations.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The Core of Your Powerful Workstation

Designed to meet the needs of high-core-count CPUs, the Pro WS Z890-ACE SE features 16(90A)+1(90A)+2(90A)+2(80A) power stages that integrate high-side and low-side MOSFETs and drivers into packages rated for up to 90 amps each. This configuration ensures optimal power delivery, efficiency, stability and performance for new Intel® Core™ Ultra Processors (Series 2).

Eight-Layer PCB Design

This enhances quick heat dissipation around the voltage regulators for enhanced stability and overclocking.

ProCool II Connectors

These are built to tight specifications to ensure flush contact with PSU power lines. The resulting lower impedance helps to prevent hotspots and connector failure.

Superior Chokes & Capacitors

These are engineered to resist extreme temperatures, providing a higher level of performance than the industry standard.

Digi+ VRM Control

The ASUS Digi+ voltage-regulator module (VRM) is one of the finest in the industry and ensures ultra-smooth power delivery to the CPU.

Performance Boost

NPU Boost

The integrated Neural Processing Unit in Intel® Core™ Ultra Processors (Series 2) efficiently accelerates AI workflows — and NPU Boost lets you do more with it. This BIOS feature overclocks the NPU with just one click, increasing performance by up to 24%.1

Memory

The Pro WS Z890-ACE SE enhances DDR5 performance by providing overclocking options that would otherwise be locked, whether you are dealing with high-speed or entry-level memory modules.

DIMM Fit

DIMM Fit is an ASUS-exclusive BIOS feature that precisely analyzes individual memory modules to optimize performance and pinpoint potential issues. This offers peak efficiency, compatibility and system stability. Whether you are an overclocker seeking ultimate performance, a competitor pursuing the most responsive gameplay or a content creator prioritizing rock-solid stability, DIMM Fit provides optimizations tailored to your needs and your hardware configuration.

AEMP III

ASUS Enhanced Memory Profile III (AEMP III) is an advanced firmware feature that empowers users to achieve unparalleled memory performance with cutting-edge CUDIMM memory. Through a two-phase comprehensive tuning process, AEMP III first optimizes the clock driver and then the memory frequency. This results in the best balance between performance and stability, even at cutting-edge speeds of DDR5-8000 or higher.2

Intelligent AI Solutions

AI Overclocking

Maximized CPU performance and predictions for ideal CPU and cooling settings push your system to its limits.

AI Cooling II

Balance the thermals and acoustics of any build with a single click.

AI Advisor

Using AI technology to understand natural-language questions or scenario descriptions, ASUS AI Advisor allows users to explore the functionality and advanced features of ASUS motherboards in a simple and straightforward way.3

Easy PC DIY

PCIe® Slot Q-Release Slim

The new design of Q-release Slim allows users to remove the graphics card by tilting the card in its slot. This design also keeps the original method of removing the graphics card by pushing down on the retention clip.
Step1: Firmly grasp the graphics card
Step2: Slightly tile the card while pulling upward4

M.2 Q-Latch

The innovative ASUS Q-Latch makes it easy to install or remove an M.2 SSD without the need for specific tools or screws. This design employs a simple locking mechanism to secure the drive and neatly detach it with one tap.

ASUS DriverHub

ASUS DriverHub streamlines the installation and management of ASUS drivers and utilities to keep your hardware up-to-date and perform optimally. This standalone application automatically detects current driver versions and presents available updates in a list view. Users are invited to install ASUS DriverHub after OS installation.

Four Onboard M.2 Slots

The Pro WS Z890-ACE SE features one PCIe 5.0 M.2 slot and three PCIe 4.0 M.2 slots to enjoy the fastest data transfers of up to 128 Gbps, and all M.2 slots support NVMe RAID configurations to take advantage of the latest available speeds.5

24/7 Reliability

Optimized for 24/7 operation, the Pro WS Z890-ACE SE motherboard is tested to work at up to 45°C and 80% humidity, ensuring it can handle diverse operating environments.

Techninė specifikacija

Processor	
Processor manufacturer	Intel
Processor socket	LGA 1851 (Socket V1)
Compatible processor series	Intel Core Ultra (Series 2)
Supported processor sockets	LGA 1851
Memory	
Supported memory types	DDR5-SDRAM

Number of memory slots	4
Maximum internal memory	256 GB
Memory slots type	DIMM
Memory channels	Dual-channel
ECC compatibility	Non-ECC
Supported memory clock speed (max)	9066 MHz
Unbuffered memory	Yes
Storage controllers	
Supported storage drive interfaces	M.2, PCI Express 5.0, SATA III
Supported storage drive types	HDD & SSD
Number of HDDs supported	4
Number of storage drives supported	8
RAID support	Yes
RAID levels	0, 1, 5, 10
Graphics	
Parallel processing technology support	Not supported
Internal I/O	
USB 2.0 connectors	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors	1
USB 3.2 Gen 2 (3.1 Gen 2) connectors	0
Number of SATA III connectors	4
USB 3.2 Gen 2x2 connectors	1
Audio connector	Yes
Front panel audio connector	Yes
ATX Power connector (24-pin)	Yes
CPU fan connector	Yes
Number of CPU fan connectors	1
Number of chassis fan connectors	5
Chassis intrusion connector	Yes
EPS power connector (8-pin)	Yes
Number of EPS power connectors (8-pin)	2
Number of COM connectors	1
Thunderbolt headers	1
Integrated SAS ports	1
Number of water pump connectors	1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Number of temperature sensor headers	1
Rear panel I/O ports	
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	0
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	6
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	0
Ethernet LAN (RJ-45) ports	3
VGA (D-Sub) ports quantity	0
HDMI ports quantity	1
DVI-D ports quantity	0
USB 3.2 Gen 2x2 Type-C ports quantity	1
Headphone outputs	1
Line-in	Yes
Thunderbolt ports quantity	1
Network	
Wi-Fi	No
Ethernet LAN	Yes
Ethernet interface type	2.5 Gigabit Ethernet, 10 Gigabit Ethernet, Gigabit Ethernet
Features	
Component for	PC
Motherboard form factor	ATX
Motherboard chipset family	Intel
Motherboard chipset	Intel Z890
Audio output channels	7.1 channels
Audio chip	Realtek ALC1220P
Product colour	Black
Cooling type	Passive
Power source type	ATX
Windows operating systems supported	Windows 10 x64, Windows 11
Expansion slots	
PCI Express x16 (Gen 4.x) slots	1
PCI Express x16 (Gen 5.x) slots	2
Number of M.2 (M) slots	4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

1st M.2 largest key size	2280
1st M.2 highest PCI Express generation	5
2nd M.2 largest key size	2280
2nd M.2 highest PCI Express generation	4
3rd M.2 largest key size	2280
3rd M.2 highest PCI Express generation	4
4th M.2 largest key size	2280
4th M.2 highest PCI Express generation	4
BIOS	
BIOS type	UEFI AMI
BIOS memory size	256 Mbit
Clear CMOS button	Yes
Packaging data	
Package width	338.1 mm
Package depth	256 mm
Package height	50.8 mm
Package weight	1.43 kg
Weight & dimensions	
Width	305 mm
Depth	244 mm
Packaging content	
Cables included	SATA
Matmenys ir svoris	
Matmenys (I × P × A)	34.00cm × 28.00cm × 7.00cm
Svoris	1.88kg

Dokumentai ir vaizdo įrašai

› User manual

Gamintojo ir saugos informacija

MANUFACTURER

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

EU RESPONSIBLE PERSON

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.