CyberPower P0420SUD0-DE surge protector Black 4 AC outlet(s) 200 - 250 V 1.8 m

Gamintojas: **CYBERPOWER** · Modelis: **P0420SUD0-DE** · EAN: **4712856275834** · Prekės kodas: **977988**



15.90€

Kaina su PVM

Be PVM: **13.14€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Surge Protection
- ✓ Overload Protection
- ✓ USB Charging Port(s)
- ✓ Computer-grade Protection
- ✓ Best-in-class Dustproof Design
- ✓ Keyhole Mounting Slots



Aprašymas

CyberPower P0420SUD0-DE is ideal for home/office surge protections. The surge protector is designed with Metal Oxide Varistor (MOV) technology to safeguard the surge suppressor and connected electronic equipment by absorbing spikes in energy caused by storms and electrical power surges.

With USB charging ports, the surge protector can rapidly charge and power USB devices and mobile accessories. The product also features overload protection, EMI/RFI filtration, impact-resistant casing and more, providing reliable protection for your electronic devices.

Techninė specifikacija

Power

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Surge energy rating	350 J
AC outlets quantity	4 AC outlet(s)
AC outlet types	Type F
Nominal input voltage	200 - 250 V
AC input frequency	50/60 Hz
Peak current, normal mode	10 A
USB charging	Yes
Port 1 output current	2.4 A
Port 2 output current	2.4 A
Clamping voltage	1200 V
Maximum spike voltage	6000 V
Maximum spike current	7500 A

Ports & interfaces

Power plug	Type F (Schuko)
USB ports quantity	2

Features

Product colour	Black
Material	Plastic
Response time	1 ms
On/off switch	Yes
Over current protection	Yes
Country of origin	China

Technical details

Warranty period	10 year(s)
Compliance certificates	CE, RoHS
Sustainability compliance	Yes

Weight & dimensions

Cable length	1.8 m
Weight	395 g
Width	55.5 mm
Depth	45.5 mm
Height	297 mm

Operational conditions

Operating temperature (T-T)	0 - 35 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Storage temperature (T-T)	-15 - 45 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3000 m
Non-operating altitude	0 - 15000 m
Indication	
LED indicators	Yes
Packaging data	
Package width	115 mm
Package depth	48 mm
Package height	335 mm
Package weight	600 g
Packaging content	
Number of products included	1 pc(s)
Logistics data	
Harmonized System (HS) code	8536301090
Matmenys ir svoris	
Matmenys (I × P × A)	5.00cm × 6.00cm × 30.00cm
Svoris	0.60kg

Dokumentai ir vaizdo įrašai

› Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

CyberPower

EU RESPONSIBLE PERSON

Cyberpower Systems GmbH
Edisonstr. 16, 85716 Unterschleissheim, DE
cyberpower.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt