Yealink SIP-T31G IP phone Grey 2 lines LCD

Gamintojas: **YEALINK** · Modelis: **1301044** · EAN: **6938818306059** · Prekės kodas: **978010**



55.90€

Kaina su PVM

Be PVM: **46.20€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Yealink HD Voice
- ✓ 2.3” 132x64-pixel graphical LCD with backlight
- ✓ Dual-port Gigabit Ethernet
- ✓ PoE support
- ✓ Opus codec support
- ✓ Up to 2 SIP accounts
- ✓ Local 5-way conferencing
- ✓ Support EHS Wireless Headset
- ✓ Unified Firmware
- ✓ Support YDMP/YMCS



Aprašymas

Entry-level IP Phone with 2 Lines & HD voice

As a very fashionable and friendly entry-level IP phone, Yealink SIP-T31 has an extra-large 132x64-pixel graphical LCD with backlight that brings clear visual experience for users. The T31 offers support for two VoIP accounts and includes local 5-way conferencing to maximize productivity. Working with the adjustable multi-angle stand, the T31 IP phone ensures you to work in different situation. Easyto-use and powerful features together with reasonable price deliver excellent voice communications solution.

Stronger Performance, More Possibilities

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Equipped with powerful chip, the T3 series owns a stronger computing ability and more upgraded functions, which ensures a higher productivity and smoother office experience. Due to great performance, T3 series is capable to extend more services for different business demands.

Superior HD Audio, Better Communication

The Yealink T3 series provides distraction-free communications with industry leading Smart Noise Filtering Technology, which delivers excellent sound quality without extraneous noises and allows fluent conversations.

Classic Design, Practical Details

Designed by Yealink original team, T3 series inherits the design concept of Yealink IP phone family. The advanced design including modern appearances and ergonomic details enables easier and friendly operation experience to users.

All in One Platform, Convenient Management

Proven reliability and integrations for Yealink Device Management Platform, installed the unified firmware, T3 series is simple to deploy and manage, which allows a significant reduction in the operation and maintenance cost.

Techninė specifikacija

Design	
Product type	IP Phone
Product colour	Grey
Handset type	Wired handset
Wall mountable	No
Mounting	Desk/Wall
Phone features	
Lines quantity	2 lines
Caller ID	Yes
Phonebook capacity	1000 entries
Number of VoIP accounts	2
Answering machine	Yes
Call waiting	Yes
Speed dialling	Yes
Call hold	Yes
Call forwarding	Yes
Conference call	Yes
Redialing	Yes
Anonymous call	Yes
Anonymous call rejection	Yes
Full duplex	Yes

Call return	Yes
Call transfer	Yes
Call history	Yes
SIP registrar server	Yes
Management features	
Plug and Play	Yes
Display	
Touchscreen	No
Display	LCD
Display diagonal	5.84 cm (2.3")
Display resolution	132 x 64 pixels
Backlight display	Yes
Audio	
Speakerphone	Yes
Microphone mute	Yes
Voice codecs	G.722, G.729, AGC, G.729A, AJB, PLC, G.711Mu, VAD, G.711a, G.723.1, G.726, iLBC, CNG, OPUS
Comfort noise generation (CNG)	Yes
Packet loss concealment (PLC)	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Quality of Service (QoS) support	Yes
DHCP client	Yes
Networking standards	IEEE 802.3af, IEEE 802.1p, IEEE 802.1Q, IEEE 802.1x
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
RJ-9 ports quantity	2
DC-in jack	Yes
Certificates	
Compliance certificates	RoHS, REACH
Sustainability compliance	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power	
Power over Ethernet (PoE)	Yes
AC adapter input voltage	100 - 240 V
AC adapter output voltage	5 V
AC adapter output current	0.6 A
Power consumption (typical)	3 W
Operational conditions	
Operating temperature (T-T)	-10 - 50 °C
Operating relative humidity (H-H)	10 - 95%
Weight & dimensions	
Width	188 mm
Depth	189 mm
Height	162 mm
Package width	213 mm
Package depth	210 mm
Package height	103 mm
Packaging content	
Number of handles included	1 pc(s)
Mounting kit	Yes
Ethernet cable	Yes
Handset	Yes
Quick start guide	Yes
Logistics data	
Harmonized System (HS) code	85171800
Matmenys ir svoris	
Matmenys (I × P × A)	22.00cm × 22.00cm × 11.00cm
Svoris	0.95kg

Dokumentai ir vaizdo įrašai

› Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

Yealink Network Technology Co., Ltd
Hu'an Road High Tech Park 666, Huli District Xiamen, CN
yealink.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.