Lindy 2 Port HDMI 8K60 Switch

Gamintojas: **LINDY** · Modelis: **38337** · EAN: **4002888383370** · Prekės kodas: **978456**



43,90 €

Kaina su PVM

Be PVM: **36,28 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Switches between 2 HDMI source devices when connected to a single display
- ✓ Supports 48G resolutions up to 8K@60Hz, with additional support for HDR
- ✓ Flexible control via push button, IR remoteandnbsp;
- ✓ Compact, minimalist design to ensure no distraction from the display or installation
- ✓ 2 year warranty







Aprašymas

HDMI switches are reliable solutions for controlling and switching multiple HDMI source devices and outputting to a single display.

The Lindy 2 Port HDMI 48G switch is a compact, high quality solution for effortlessly switching between 2 HDMI source devices when connected to a single display.

Supporting HDMI 48G signals, this switch allows for the transmission of detailed 8K Ultra High Speed resolutions, while additional support for HDR ensures video content features greater contrasts and a much wider colour gamut. This switch is perfect for a premium residential setup, eye-catching digital signage in retail settings or engaging presentations.

This switch also provides efficient, simple switching options for the user, via an included IR remote or push buttons on the main unit. The switch can

also identify the active HDMI source device and automatically switch to this option, providing a useful solution for when the unit is required to be out of sight. HDCP 2.3 ensures the compatibility with a variety of 8K content from source devices including set top boxes, Graphics cards, Blu-Ray players and 8K HDR Media players.

Techninė specifikacija

Ports & interfaces	
Video port type	HDMI
HDMI ports quantity	3
HDMI version	2.1
HDMI in	2
Number of HDMI outputs	1
USB port type	Micro-USB
Features	
Material	Metal
Product colour	Black
HDCP	Yes
Maximum refresh rate	60 Hz
Bandwidth	48 Gbit/s
Maximum resolution	7680 x 4320 pixels
HDCP version	2.3
Power	
AC adapter output voltage	5 V
AC adapter output current	1 A
Certificates	
Certification	FCC, California Proposition 65
Weight & dimensions	
Width	90 mm
Depth	44 mm
Height	14 mm
Weight	887 g
Packaging data	
Package width	90 mm
Package depth	44 mm
Package height	14 mm
Package weight	250 g

Packaging content	
Quantity per pack	1 pc(s)
Manual	Yes
Cables included	USB Type-A to Micro USB-B
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-10 - 80 °C
Operating relative humidity (H-H)	5 - 90%
Technical details	
Compliance certificates	CE, REACH, RoHS
Sustainability	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

› Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Atitikties deklaracija