Dahua Technology 3MP Outdoor Fixed-focal Wi-Fi Pan & Tilt Network Camera

Gamintojas: **DAHUA** · Modelis: **P3I-PV-0280B** · EAN: **6937552416116** · Prekės kodas: **979678**



28,89 € ~~37,90 €~~

Kaina su PVM


Be PVM: **23,88 €**


Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Indoor & outdoor IP security camera
- ✓ CMOS 25.4 / 3.2 mm (1 / 3.2") 3 MP 2304 x 1296 pixels
- ✓ Wired & Wireless Ethernet LAN Wi-Fi Bluetooth
- ✓ Night vision 30 m IR/White
- ✓ Turret Ceiling/Wall/Desk Wind resistant, Weather resistant, Rain proof
- ✓ IP66
- ✓ White
- ✓ 336 g

Aprašymas

The Active Defense series of small PT cameras raises the bar on performance. After detecting an intrusion, it triggers sound and light alarms, and then instantly relays vital information on the intrusion to the mobile client, keeping you informed no matter where you are. It supports two-way talk,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

allowing you to communicate with people in front of the camera in real time. Additionally, it includes smart dual light that not only reduce light pollution, but also intelligently turn on when they are triggered by an event to assist the camera with capturing clear, full-color videos.

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired & Wireless
Auto-tracking	Yes
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Design	
Mounting type	Ceiling/Wall/Desk
Product colour	White
Form factor	Turret
Housing material	Plastic
Protection features	Wind resistant, Weather resistant, Rain proof
International Protection (IP) code	IP66
Camera	
Camera pan control	Yes
Camera tilt control	Yes
Angle of rotation	180°
Lens viewing angle, horizontal	87°
Lens viewing angle, vertical	49°
Lens viewing angle, diagonal	101°
Tilt angle range	0 - 90°
Pan range	0 - 350°
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 3.2 mm (1 / 3.2")
Panoramic camera	
Digital Wide Dynamic Range (DWDR) (panoramic camera)	Yes
Lens system	
Fixed focus	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Maximum aperture number	2
Fixed focal length	2.8 mm
Night vision	
Night vision	Yes
Night vision distance	30 m
LED type	IR/White
Number of illumination LEDs	4
Video	
Maximum resolution	2304 x 1296 pixels
Total megapixels	3 MP
Video compression formats	H.265
Supported graphics resolutions	2304 x 1296
Supported video modes	1296p
Video streaming	Yes
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Voice codecs	G.711a, G.711Mu, PCM, G.726
Bit rate range	80 - 4096 Kbit/s
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	Yes
Ethernet interface type	Fast Ethernet
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Frequency band	2.4 GHz
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Interface	RJ-45/WLAN
Security	
Video motion detection	Yes
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Management features	
Reset button	Yes
Power	
Power source type	DC
Power consumption (typical)	1.7 W
Power consumption (max)	11.1 W
DC output voltage	12
Operational conditions	
Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	105 mm
Height	135 mm
Length	136 mm
Weight	336 g
Sustainability	
Compliance certificates	Low Voltage Directive (LVD), Electromagnetic Compatibility (EMC), CE
Packaging content	
Number of cameras	1
Mounting kit	Yes
AC adapter included	Yes
Quick start guide	Yes
Other features	
Data transfer rate	100 Mbit/s
Matmenys ir svoris	
Matmenys (I × P × A)	13,00cm × 13,00cm × 21,00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Greitos pradžios vadovas
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd
Bin'an Road, Binjiang District No.1187 & 1199, 310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH
Niederkasseler Lohweg 185, 40547 Düsseldorf, DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.