iiyama ProLite XCB3492WQSNPH-B1 34"IPS 3800R 2H1DP1C D computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED

Gamintojas: **IIYAMA** · Modelis: **XCB3492WQSNPH-B1** · EAN: **4948570127894** · Prekės kodas: **980422**



510,90 €

Kaina su PVM

Be PVM: **422,23 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4 cm (34")
- ✓ Height adjustment 15 cm Built-in speaker(s) Built-in camera
- ✓ USB upstream port type: USB Type-C DisplayPorts quantity: 1
- ✓ Screen shape: Curved
- ✓ Maximum refresh rate: 100 Hz Response time: 3 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 3440 x 1440 pixels UltraWide Quad HD Panel type: IPS
- ✓ ErP, TCO CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE

Aprašymas

The 34" XCB3492WQSNPH is designed for a smooth and efficient workspace. The gently curved 3800R IPS panel offers expansive 3440x1440 screen space, consistent colours and wide viewing angles for a comfortable, natural viewing experience. Connect a laptop through the USB-C dock, switch easily between two computers with the built-in KVM and stay connected via LAN. DisplayPort-out supports daisy chaining for an easy multi-monitor setup, while the 5MP autofocus webcam with Windows Hello, 15cm height-adjustable stand and eye-care technologies help keep everyday work comfortable and productive.

Techninė specifikacija

Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Display technology	LED
HD type	UltraWide Quad HD
Panel type	IPS
Response time	3 ms
Screen shape	Curved
Contrast ratio (typical)	1500:1
Maximum refresh rate	100 Hz
Display number of colours	1.07 billion colours
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.233 x 0.233 mm
Horizontal scan range	30 - 160 kHz
Viewable size, horizontal	80 cm
Viewable size, vertical	33.5 cm
Display diagonal (metric)	86.7 cm
High Dynamic Range (HDR) supported	Yes
Colour depth	10 bit
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%
Performance	
AMD FreeSync	Yes
Flicker-free technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	Yes
Number of speakers	2
RMS rated power	10 W
Megapixel (approx.)	5 MP
Built-in microphone	Yes
Ports & interfaces	
Built-in USB hub	Yes
Headphone out	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of downstream ports	4
Number of USB Type-C upstream ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	95 W
HDMI ports quantity	2
DisplayPorts quantity	1
DisplayPort out quantity	1
Built-in KVM switch	Yes
HDCP	Yes
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian
Power	
Power consumption (typical)	31 W
Power consumption (standby)	31 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Weight & dimensions	
Width (with stand)	816.5 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Depth (with stand)	245.5 mm
Height (with stand)	602 mm
Weight (with stand)	9.8 kg
Height (without stand)	453 mm
Packaging data	
Package width	910 mm
Package depth	160 mm
Package height	480 mm
Package weight	14.4 kg
USB cable length	1.8 m
Packaging content	
Cables included	AC, USB, HDMI, DisplayPort, USB Type-C
DisplayPort cable length	1.8 m
HDMI cable length	1.5 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	ErP, TCO
Other features	
Packaging content	quick start guide, safety guide
Weight	9.8 kg
Width	816.5 mm
Depth	245.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
Ethernet LAN (RJ-45) ports	1
User controls	picture adjust (brightness, contrast, Eco, HDR, ACR, Adpative Sync, X-res technology, black tuner), colour settings (6-axis, i-Style colour, gamma, RGB range, colour temp., user preset), PiP/PbP (PiP/PbP mode, sub source, PiP position, PiP size, swap, audio input), OSD (H. position, V. position, time, background, display information, MAC address), language, miscellaneous (sharpness, video mode adjust, opening logo, power LED, USB-C speed, USB charge, KVM, DDC/CI control, MST DP-out), input select, audio settings (volume, mute audio), recall
Control panel	Navigation Button, Power, (Center: MainMenu/Execution), Front (Move Down/Submenu), Rear (Move Up/Input Select), Left (Move Left/Volume Down), Right (Move Right/Volume Up)

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas youtube.com/watch?v=ONkUIO5F2KI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

iiyama International
Wijkermeerstraat 8, 2131 HA Hoofddorp, NL
iiyama.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt