Peerless STS650 signage display mount 2.16 m (85") Black

Gamintojas: **PEERLESS** · Modelis: **STS650** · EAN: **735029354376** · Prekės kodas: **980767**



465.90€

Kaina su PVM

Be PVM: **385.04€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Display is easily installed by a single person with the Hook-and-Hang™ feature
- ✓ Open access provides the maximum open area on the wall to allow flexible placement for outlets and/or in-wall boxes (IB14X9-W)
- ✓ Post-installation leveling and side-to-side adjustability features allow fine tuning of the mounted display for the perfect display positioning
- ✓ IncreLok™ tilt technology allows the user to lock the tilt angle for the perfect view and prevent tampering or undesired adjustment
- ✓ Automatic spring locks with quick release cords simplify the installation and removal of the display
- ✓ Display can be pulled 12" (305mm) from the wall to access components and the back of the display with the extendable adaptors
- ✓ 3.82"-12.00" (97-305mm) display extension allows for post-installation servicing and component storage behind display
- ✓ Universal mount fits displays with mounting patterns 200 x 100 to 600 x 400mm (600 x 600mm with included bolt-on extenders)
- ✓ Adjustable up to 15° of forward tilt and -2° of backward tilt for the optimal viewing angle
- ✓ Menu board style wall plate with open frame design (compatible with IB14X9-W In-Wall Box)













Aprašymas

Peerless-AV’s SmartMount® Universal Scissor Wall Mount is the optimal mounting solution for UC/VC applications and recessed walls as the STS650 allows for convenient access to components stored behind the display. The STS650’s extendable adaptors allow the display to be pulled 12" (305 mm) from the wall to easily access the back of the display, and can be locked into place when the installation or maintenance is completed. Installation of the display is a breeze with the Hook-and-Hang™ feature, and the mount’s open access design provides the maximum open area on the wall to allow flexible placement for outlets and/or in-wall boxes. Post-installation leveling and side-to-side adjustability features allow for fine tuning of the mounted display for the perfect position in any corporate conference room, digital signage application or hospitality setting.

This display size range is simply a guideline for product selection. Displays larger than the screen size range may still be compatible as long as they fall within the VESA® pattern and max weight of the Peerless-AV® product.

Techninė specifikacija

Mounting	
Number of displays supported	1
Maximum screen size	2.16 m (85")
Mounting type	Wall
Maximum weight capacity	90.7 kg
Minimum VESA mount	200 x 100 mm
Maximum VESA mount	600 x 400 mm
Minimum screen size	99.1 cm (39")
Panel mounting interface	200 x 100,600 x 400 mm
Ergonomics	
Tilt angle range	-2 - 15°
Tilt adjustment	Yes
Design	
Product colour	Black
Weight & dimensions	
Width	732 mm
Depth	97 mm
Height	683 mm
Weight	16.1 kg
Packaging data	
Package width	464 mm
Package depth	829 mm
Package height	114 mm
Package weight	18.1 kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Packaging content	
Manual	Yes
Mounting kit	Yes
Packaging content	Wall Mount, Wall and Display Installation Hardware, Installation Instruction
Technical details	
Compliance certificates	RoHS, Trade Agreements Act (TAA), cULus
Other features	
Depth adjustment range	97 - 305 mm
Matmenys ir svoris	
Svoris	16.10kg

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

Peerless-AV

Curo Park Unit 2, AL2 2DD Frogmore, St Albans, Hertfordshire, GB

eu.peerless-av.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.