LogiLink CQ3063U networking cable Black 3 m Cat6a U/UTP (UTP) Flat

Gamintojas: **LOGILINK** · Modelis: **CQ3063U** · EAN: **4052792076592** · Prekės kodas: **983004**



4.90€

Kaina su PVM


Be PVM: **4.05€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Super thin Cat.6A patch cable with only 2.8 mm diameter.
- ✓ Flexible and soft jacket, smaller bending radius
- ✓ Extra short plug, half the length of a standard plug
- ✓ New robust bend protection prevents cable breakage
- ✓ Supports 10 Gigabit Ethernet and Power over Ethernet
- ✓ Bare copper conductor, gold-plated contacts
- ✓ High safety: flame-retardant, low smoke, halogen-free
- ✓ Environmentally friendly: no plastic packaging





Aprašymas

Cat.6A Slim High-Flex Patch Cable black, U/UTP, 3.00 m" from LogiLink Professional

Highly flexible CAT6A patch cable with extra short connectors and extra slim design reduces cable volume in server cabinets, improves airflow and reduces heat dissipation. The soft TPE jacket and pure copper conductors provide maximum flexibility and material efficiency. Perfect for all connections up to 10 Gigabit Ethernet, it also offers secure cable breakage protection for a long service life.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Features	
Cable length	3 m
Cable standard	Cat6a
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Cable shape	Flat
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Low smoke zero halogen (LSZH)
Conductor material	Copper
Ethernet interface type	10 Gigabit Ethernet
Networking standards	IEEE 802.3af
AWG wire size	32
Data transfer rate	10000 Mbit/s
Cable jacket type	Extremely flexible
Power over Ethernet (PoE)	Yes
Fire-resistant	Yes
Fastening type	Snap fastener
Weight & dimensions	
Outer diameter	2.8 mm
Weight	29 g

Dokumentai ir vaizdo įrašai

› Product leaflet

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

MANUFACTURER

2direct GmbH
Langenstück 5, 58579 Schalksmühle, DE
info@2direct.de
2direct.de

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt