
LogiLink FP4UB02 InfiniBand/fibre optic cable 2 m LC Violet

Gamintojas: **LOGILINK** · Modelis: **FP4UB02** · EAN: **4052792056839** · Prekės kodas: **983055**



11.89€

Kaina su PVM

Be PVM: **9.83€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Space-saving, high-performance patch solution
- ✓ Fiber: 50/125µ multimode, OM4
- ✓ Plug: LCD UPC Uniboot with ceramic sleeve
- ✓ Uniboot: Change polarity easily
- ✓ "Cable: Flexible round cable, LSZH, 3 mm Ø"
- ✓ Color: Violet / white

Aprašymas

LogiLink's high-quality patch cords with LC duplex (LCD) connectors are ideal for use in confined spaces. The patch cord utilizes a special “round duplex” cable that allows duplex transmission within a single 3 mm cable. The uniboot plugs on both ends allow you to quickly change the polarity locally (A to A or A to B). The flexible high-performance patch cords save space and improve the air circulation.

Techninė specifikacija

Features	
Cable length	2 m
Connector 1	LC
Connector 2	LC
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Violet
Jacket material	Low smoke zero halogen (LSZH)
Fibre optic type	OM4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Connector polish type	UPC
Core diameter	50 µm
Cladding diameter	125 µm
Fiber mode structure	Multi-mode
Wavelengths supported	850 nm
Ethernet interface type	10 Gigabit Ethernet
Data transfer rate	10 Gbit/s
Insertion loss	0.25 dB
Return loss	25 dB
Connector material	Ceramic
Plug and Play	Yes
Certificates	
Compliance certificates	RoHS
Certification	IEC61300-3-4, IEC61300-3-6, IEC61300-2-2, IEC60794-2, IEC/PAS 61300-3-35, GR-326-CORE
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Weight & dimensions	
Cable diameter	3 mm
Packaging data	
Package width	160 mm
Package depth	20 mm
Package height	200 mm
Package weight	1.95 kg
Packaging content	
Quantity per pack	1 pc(s)
Logistics data	
Country of origin	China
Sustainability	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

› Product leaflet

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

MANUFACTURER

2direct GmbH
Langenstück 5, 58579 Schalksmühle, DE
info@2direct.de
2direct.de

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt