ASUS PRIME B850M-A-CSM AMD B850 Socket AM5 micro ATX

Gamintojas: **ASUS** · Modelis: **90MB1LQ0-M0EAYC** · EAN: **4711636054720** · Prekės kodas: **986110**



212.90€

Kaina su PVM

Be PVM: **175.95€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AMD Socket AM5 AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series
- ✓ PC micro ATX AMD B850 7.1 channels
- ✓ DDR5-SDRAM 4 DIMM Maximum internal memory: 256 GB
- ✓ HDD & SSD PCI Express 4.0, PCI Express 5.0 RAID support Number of storage drives supported: 7
- ✓ BIOS type: UEFI AMI 256 Mbit
- ✓ 2.5 Gigabit Ethernet









Aprašymas

ASUS Prime series motherboards are expertly engineered to unleash the full potential of AMD Ryzen™ 9000 series processors. The PRIME B850M-A-CSM motherboard provides users and PC DIY builders with a range of performance optimizations via intuitive software and firmware features. It’s designed to be Advanced AI PC-ready, offering the power and connectivity needed for demanding AI applications.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

ASUS Corporate Stable Model

ASUS Corporate Stable Model (CSM) is a commercial program designed to provide stable and reliable motherboards. Offering up to 36-month product lifecycle support and 6-month end-of-life notice to allow sufficient lead times for your organization to get ready for product transitions. Each purchase of an ASUS CSM motherboard comes with ASUS Control Center Express - server-grade IT management software.

ASUS Control Center Express

ASUS Control Center Express is an integrated IT monitoring and management software designed to deploy faster, simplify IT operations and improve productivity with comprehensive control and user-friendly functions. ASUS Control Center Express is compatible with over 100 ASUS motherboards to provide a high-quality, TCO-optimized solution for your business needs.

Optimize IT endpoint management

Designed to assist IT staff in monitoring and controlling devices within their corporate networks, and facilitate inventory checking in multiple locations remotely.

Automate IT maintenance

Allows IT staff to schedule automatic updates of the latest BIOS, software and utilities to specific or all devices at off-peak times, enhancing system stability and IT operational flexibility.

Securely manage all of endpoints

Securely manage endpoint configuration, portable storage access and PC software applications by enabling them to create grouping rules on individual devices.

Performance

AI Solutions

ASUS AI Solutions include AI Advisor as your technical expert with expertise in PC performance.

AI Advisor

ASUS AI Advisor allows users to explore the functionality and advanced features of ASUS motherboards in a simple and straightforward way.

Performance

Digital Power Design

PRIME B850M-A-CSM features an 8+2+1 phase power design with discrete MOSFETs, ensuring efficient and stable power delivery for AMD processors plus steady performance for day-to-day use.

The multi-layered printed circuit board design quickly dissipates heat around the voltage regulators to improve overall system stability and provide the CPU with more overclocking headroom.

The Digi+ voltage-regulator module (VRM) delivers real-time control over voltage droop, automatically switching frequency and power-efficiency settings.

Enhanced Memory & Storage Performance

Enhanced DDR5 performance

Comprehensive memory tuning options are the cornerstone of PRIME motherboards. The PRIME B850M-A-CSM maximizes the potential of your DDR5 modules, from entry-level to extreme-speed kits.2

For entry-level modules without EXPO™ support, ASUS Enhanced Memory Profile (AEMP) automatically detects memory chips and provides optimized profiles for enhanced performance.

For those looking to surpass stock DDR5 speeds, the PRIME B850M-A-CSM offers extensive AMD Extended Profiles for Overclocking (EXPO™) support and a wide array of UEFI settings for further performance tweaks.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Three M.2 slots (up to 128 Gbps)

PRIME B850M-A-CSM offers a total of three M.2 slots, including one that supports data-transfer speeds of up to 128 Gbps via PCIe 5.0, and two that support PCIe 4.0. This enables quicker boot-up and app load times with OS or application drives.

Cooling

Cooler by design

The PRIME B850M-A-CSM motherboard is engineered with multiple onboard heatsinks and an array of hybrid fan headers to help ensure your rig stays cool and stable under intense workloads.

Smart Cooling precision

ASUS Fan Xpert 2+

ASUS Fan Xpert 2+ software provides comprehensive control over fans. An Auto-Tuning mode intelligently configures all parameters with a single click. There’s also an Extreme Quiet mode that reduces chassis fan speeds to below the default minimum to keep your system whisper-quiet when performing light tasks. Fans can also be controlled via the UEFI BIOS.

Cooler compatibility

ASUS AIO coolers offer robust performance, high overclocking potential, bold aesthetics and customizable functionality for new motherboards, empowering you to build your dream gaming rig.

Flexibility

Empowering connections

This motherboard offers a versatile range of connectivity, including support for PCIe 5.0 slot and an arsenal of USB ports which includes Type-C® connections.

Realtek 2.5 Gb Ethernet

Realtek 2.5 Gb Ethernet reduces CPU overhead and offers exceptionally high TCP and UDP throughput for faster, smoother data transfers.

Front USB 5Gbps Type-C®

This motherboard features a USB 5Gbps Type-C® front panel connector for speedy data transfers of up to 5Gbps.

Customization

Personalization

The PRIME B850M-A-CSM enhances the user experience across the board, from simplifying BIOS setting adjustments to offering customizable RGB lighting controls for a uniquely personal system aesthetic.

UEFI BIOS

The UEFI interface delivers easy-to-use configuration options for PC beginners, and advanced features for veterans.

ASUS DriverHub

Simplify driver management with automatic detection, one-click installation and update for smooth, efficient system performance.

Armoury Crate

Customize Aura Sync RGB and control ASUS devices. Includes product registration and updates.

Aura Sync

Complete RGB lighting control for enthusiast systems, ensuring seamless synchronization with compatible hardware.

Addressable Gen 2 RGB headers

Three addressable Gen 2 headers detect LED counts on compatible RGB devices, automatically adjusting lighting effects accordingly.

Customization

DIY friendly

The PRIME B850M-A-CSM motherboard features EZ PC DIY innovations that simplify and speed up the PC building process, making DIY easy and convenient.

Pre-mounted I/O shield

Our pre-installed I/O shield safeguards ports, simplifies the build process, increases functionality and enhances aesthetics for PC DIY enthusiasts.

BIOS FlashBack™

BIOS FlashBack™ simplifies BIOS updates. Just load the BIOS file onto a FAT32 USB stick, insert it into the BIOS FlashBack™ port, and press a button—no CPU or memory needed.

SafeSlot

PCIe 5.0 is twice as fast as PCIe 4.0. ASUS has adapted our SMT manufacturing for the faster SafeSlot, a reinforced metal sheath that ensures secure card installation and faster data speeds.

Q-LED Core

The Q-LED Core display produces color-coded lights during the Power-On Self-Test (POST) that can help you troubleshoot potential issues.

Build for the most advanced pc for gaming and creating

When only the fastest will do, ASUS motherboards deliver. With faster dual-channel DDR5 memory support, AMD EXPO™ technology and PCIe® 5.0 support for both graphics and NVMe, you can play the most demanding games and deliver your biggest projects with the revolutionary performance of an ASUS motherboard and AMD Ryzen™ 9000, 8000, and 7000 Series processors.

Techninė specifikacija

Processor	
Processor manufacturer	AMD
Processor socket	Socket AM5
Compatible processor series	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series
Supported processor sockets	Socket AM5
Memory	
Supported memory types	DDR5-SDRAM
Number of memory slots	4
Maximum internal memory	256 GB
Memory slots type	DIMM

Memory channels	Dual-channel
ECC compatibility	ECC & Non-ECC
Supported memory clock speed (max)	8000 MHz
Unbuffered memory	Yes
Maximum internal memory per slot	64 GB
Storage controllers	
Supported storage drive interfaces	PCI Express 4.0, PCI Express 5.0
Supported storage drive types	HDD & SSD
Number of HDDs supported	4
Number of storage drives supported	7
RAID support	Yes
RAID levels	0, 1, 5, 10
Graphics	
Parallel processing technology support	Not supported
Maximum resolution	7680 x 4320 pixels
Internal I/O	
USB 2.0 connectors	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors	2
USB 3.2 Gen 2 (3.1 Gen 2) connectors	0
Number of SATA III connectors	4
S/PDIF out connector	Yes
Front panel audio connector	Yes
Front panel connector	Yes
ATX Power connector (24-pin)	Yes
CPU fan connector	Yes
Number of CPU fan connectors	1
Number of chassis fan connectors	3
Chassis intrusion connector	Yes
Peripheral (Molex) power connectors (4-pin)	1
EPS power connector (8-pin)	Yes
Number of EPS power connectors (8-pin)	1
Number of COM connectors	1
TPM connector	Yes
12V power connector	Yes
RGB LED pin header	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Number of RGB LED pin headers	3
Rear panel I/O ports	
USB 2.0 ports quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	0
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	0
Ethernet LAN (RJ-45) ports	1
VGA (D-Sub) ports quantity	0
HDMI ports quantity	1
DVI-D ports quantity	0
HDMI version	2.1
DisplayPorts quantity	2
DisplayPort version	1.4
Headphone outputs	1
Line-in	Yes
Microphone in	Yes
Network	
Wi-Fi	No
Ethernet LAN	Yes
Ethernet interface type	2.5 Gigabit Ethernet
Top Wi-Fi standard	Not available
Features	
Component for	PC
Motherboard form factor	micro ATX
Motherboard chipset family	AMD
Motherboard chipset	AMD B850
Audio output channels	7.1 channels
Product colour	Grey
Cooling type	Passive
Power source type	ATX
Windows operating systems supported	Windows 10 x64, Windows 11
Expansion slots	
PCI Express x16 (Gen 4.x) slots	2

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

PCI Express x16 (Gen 5.x) slots	1
Number of M.2 (M) slots	3
1st M.2 largest key size	2280
1st M.2 highest PCI Express generation	5
2nd M.2 largest key size	2280
2nd M.2 highest PCI Express generation	4
3rd M.2 largest key size	2280
3rd M.2 highest PCI Express generation	4
4th M.2 largest key size	2280
4th M.2 highest PCI Express generation	4
BIOS	
BIOS type	UEFI AMI
BIOS memory size	256 Mbit
Packaging data	
Package width	275 mm
Package depth	275 mm
Package height	67.5 mm
Package weight	1.45 kg
Weight & dimensions	
Width	244 mm
Depth	244 mm
Packaging content	
Cables included	SATA
Screws included	Yes

Dokumentai ir vaizdo įrašai

› User manual

Gamintojo ir saugos informacija

MANUFACTURER
ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

EU RESPONSIBLE PERSON
ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

DISTRIBUTOR
MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.