TP-Link FESTA FR365 wireless router Gigabit Ethernet Dual-band (2.4GHz + 5GHz or 2.4GHz + 6GHz) White

Gamintojas: **TP-LINK** · Modelis: **FESTA FR365** · EAN: **8885020622416** · Prekės kodas: **988819**



170,90 €

Kaina su PVM

Be PVM: **141,24 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Free Cloud Centralized Management: Accessible via the Festa app or the web†
- ✓ Easy Setup and Use: No professional IT technician is required. Festa App, Self-Organizing Networking, and Zero-Touch Provisioning technology make it a breeze
- ✓ Complete Festa Ecosystem: Business-class features with consumer-inspired simplicity. It's ideal for small businesses, home offices, cafes, retail, prosumers, advanced consumers, and large households
- ✓ Up to 3.0 Gbps Mesh WiFi 6 Speeds: 2402 Mbps on 5 GHz and 574 Mbps on 2.4 GHz△
- ✓ 6× Gigabit Ports (Including 1 SFP): Provides high-speed Gigabit connectivity
- ✓ 1× USB 3.0 WAN Port: Enables mobile broadband backup via a 4G/3G modem‡
- ✓ Load Balancing on Up to 5 WAN Ports: Optimizes multi-line broadband utilization
- ✓ High-Security VPN Options: Supports IPSec, PPTP, L2TP, and OpenVPN
- ✓ Business-Level Quality: Features an elegant metal casing and a design suitable for desktop or wall mounting







Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903







Aprašymas

Festa A Networking Solution Built For Small Business, No IT Required

Festa offers business-class features with consumer-inspired simplicity. Our free cloud-based centralized management is accessible via the Festa app or web, providing essential features for small businesses without the complexity required by larger-scale operations.

Seamless Mesh WiFi — Extend WiFi without Extra Cabling and Switch

Besides, thanks to seamless roaming, enjoy uninterrupted streaming when moving between router and APs.

High-Security and High-Performance VPN

OpenVPN/IPSec/PPTP/L2TP VPN effortlessly establishes secure VPN tunnels for safe internet browsing, communication between branches, or enabling remote work and study from home.

Techninė specifikacija

WAN connection	
Ethernet WAN	Yes
DSL WAN	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4GHz + 5GHz or 2.4GHz + 6GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max)	2402 Mbit/s
Wi-Fi standards	Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Modulation	OFDMA
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Networking standards	IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n
Policy-based routing	Yes
Static route	Yes
Ports & interfaces	

Ethernet LAN (RJ-45) ports	6
USB port	Yes
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Management features	
Bandwidth control	Yes
Reset button	Yes
MU-MIMO technology	Yes
Security	
Security algorithms	SNMP, SNMPv2, SNMPv3, WPA, WPA2, WPA3
Protocols	
DHCP client	No
DHCP server	Yes
Design	
Product type	Tabletop router
Product colour	White
Wall mountable	Yes
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Packaging content	
AC adapter included	Yes
Quick installation guide	Yes
Antenna	
Antenna design	External
Features	
Internal memory	512 MB
Internal memory type	DDR4
Flash memory	128 MB
Power	
Power source type	DC
Output voltage	12 V
Output current	2 A
Power consumption (typical)	22.7 W
Operational conditions	
Operating temperature (T-T)	0 - 40 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	226 mm
Depth	132 mm
Height	36 mm

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.