Ernitec 0070-24110-M computer monitor 25.4 cm (10") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **ERNITEC** · Modelis: **0070-24110-M** · EAN: **5715063195581** · Prekės kodas: **996076**



528.90€

Kaina su PVM

Be PVM: **437.11€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

✓ 1 BNC input + 1 BNC output





Aprašymas

Discover the Ernitec 10.1" Display: Your Ultimate Visual Solution

Introducing the Ernitec 10.1" Display, designed to deliver exceptional performance and versatility for various applications.
With a stunning 1920×1080 resolution and a vibrant 16.7 million colors, this display ensures crystal-clear visuals that enhance any viewing experience.
Key Specifications:
Screen Size: 10.1 inches
Display Mode: 16:9
Brightness: 350 cd/□
Contrast Ratio: 500:1
Response Time: 4 ms
Active Display Area: 211.2 mm (W) × 158.4 mm (H)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.


Pixel Pitch: 0.264 mm (H) × 0.264 mm (V)
Connectivity Options:
Inputs:
2 × BNC Inputs
1 × VGA Input
1 × HDMI Input
1 × Y, Pb, Pr/Y, Cb, Cr Input
1 × Power Input
Camera Support:
TVI Cameras: Supports 5MP/8MP up to 300 meters
AHD Cameras: Supports 5MP/8MP up to 500 meters
CVI Cameras: Supports 2MP/5MP up to 500 meters
User-Friendly Features:
OSD Control: Easily adjust settings such as brightness, contrast, horizontal and vertical position, clock, phase, and color.
Mounting Options: Compatible with stand mounts and VESA mounts (75x75 mm).
Durability:
Operating Temperature: -30 to +85 °C, ensuring reliable performance in various environments.
Automatic Support: PAL/NTSC/SECAM compatibility for versatile use.
Elevate your display capabilities with the Ernitec 10.1" Display, perfect for security monitoring, presentations, and more. Experience the difference in clarity and functionality today!

Techninė specifikacija

Display	
Display diagonal	25.4 cm (10")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:10
Display technology	LED
HD type	Full HD
Panel type	TFT
Response time	4 ms
Contrast ratio (typical)	500:1
Display brightness (typical)	350 cd/m²
Design	
Market positioning	Industrial
Product colour	Black
Ports & interfaces	
VGA (D-Sub) ports quantity	1
HDMI ports quantity	2
HDMI version	2
BNC input ports	1

Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	8.3 kWh
Power consumption (standby)	0.3 W
Power supply type	External
Energy efficiency scale	A to G
Packaging data	
Package width	430 mm
Package depth	125 mm
Package height	260 mm
Package weight	3 kg
Other features	
Comb filter	3D
Weight	2 kg
Height	185 mm
Width	260 mm
Depth	43 mm
Warranty period	5 year(s)
Mean time between failures (MTBF)	50000 h
Certification	EMC Class A
Picture enhancement	DNIe digital image processing

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **E** A-G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

› User manual

Gamintojo ir saugos informacija

MANUFACTURER

EET Group A/S
Bregnerødvej 133D, 3460 Birkerød, DK
eetgroup.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt