
QNAP QXG-10G2T-X710 network card Internal Ethernet 1000 Mbit/s

Gamintojas: **QNAP** · Modelis: **QXG-10G2T-X710** · EAN: **4713213519301** · Prekės kodas: **996141**



356.90€

Kaina su PVM

Be PVM: **294.96€**

In Stock


Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wired
- ✓ Gigabit Ethernet 1000 Mbit/s
- ✓ PCI Express 3.0 Ethernet
- ✓ Internal Component for: NAS





Aprašymas

The dual port QXG-10G2T-X710 is a PCIe Gen 3 (compatible with PCIe Gen 2)10GbE network expansion card with an Intel Ethernet Controller X710 and supports up to five speeds (10G / 5G / 2.5G / 1G / 100M). By using Port Trunking, both ports can be combined to achieve up to 20Gbps transfer speeds for accelerating file sharing and intensive data transfer. With SR-IOV and iSCSI support, the QXG-10G2T-X710 greatly boosts network efficiency and is ideal for I/O-intensive and latency-sensitive virtualization applications and data centers.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Build a 10GbE Network Environment

The QXG-10G2T-X710 can be used with QNAP’s 10GbE switches, such as the QSW-M2108-2C or QSW-1208-8C, for you to build a budget-friendly high-speed network environment.

Supports SR-IOV and iSCSI, Achieve the Best Virtualization Environment

The QXG-10G2T-X710 supports SR-IOV, which can allocate bandwidth resources from a physical network card directly to VMs. It ensures reliable VM applications and reduced CPU overheads. The QXG-10G2T-X710 also supports iSCSI, which enables computers, servers, or virtual machines to use storage from your QNAP NAS as virtual disks. You can partition, format, and use these virtual disks exactly like local disks, or even use them for storage expansion or as backup destinations.

Supports Windows and Linux servers/workstations

Besides QNAP devices, the QXG-10G2T-X710 supports Windows® 10, Windows Server®, and Linux (driver required), allowing you to attain optimal business performance for a wider range of system applications and services.

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	PCI Express
Interface	Ethernet
Ethernet LAN (RJ-45) ports	2
PCI version	3
Network	
Maximum data transfer rate	1000 Mbit/s
Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
LAN controller	Intel® X710
Design	
Internal	Yes
Component for	NAS
Packaging content	
Mounting brackets included	Yes
Quick installation guide	Yes
Logistics data	
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Svoris	0.24kg

Gamintojo ir saugos informacija

MANUFACTURER

QNAP Systems

Zhongxing Rd., Xizhi Dist. No. 22, 221 New Taipei City, TW

qnap.com

EU RESPONSIBLE PERSON

QNAP GmbH

Karl-Arnold-Straße 26, 47877 Willich, DE

qnap.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt