SMALLRIG AD-Pro8 Tripod with Oil-Damped Head

Gamintojas: **SMALLRIG** · Modelis: **4465B** · EAN: **6941590021362** · Prekės kodas: **997361**





889,89 €

Kaina su PVM

Be PVM: **735,45 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Aprašymas

SMALLRIG AD-Pro8 Tripod with Oil Head

The SMALLRIG AD-Pro8 4465B is a professional carbon fiber video tripod equipped with a PH8 oil head, a 6-stage counterbalance system, and 4-stage hydraulic damping adjustment. The design is intended for use with equipment weighing between 1 and 8 kg, and the working height can be adjusted from 58 to 196 cm, allowing you to comfortably adjust the camera position for the shot you’re capturing. Quick-release leg locks make adjusting the height easy, while the carbon fiber construction ensures adequate rigidity despite the tripod’s weight of 5.8 kg.

6-stage counterbalance for better control

The PH8 fluid head is equipped with a 6-stage counterbalance system that makes it easy to properly balance a camera, still camera, or a more elaborate film setup. With a center of gravity height of 55 mm, the mechanism allows you to balance equipment weighing up to 8 kg, helping you maintain control over its tilt. The ability to adjust the counterbalance level is particularly useful when working with different equipment configurations, without having to limit yourself to a single camera setup.

Adjustable Pan and Tilt Damping

The head offers independent damping adjustment for horizontal and vertical movement, allowing you to tailor its operation to the nature of the shot you’re capturing. Four settings are available for tilt (0, 1, 2, and 3), while pan can be adjusted in four steps from 1 to 4. This design makes it easy to achieve controlled and smooth camera movements, and the tilt range from +90° to -60° allows you to freely change the perspective while

recording.

Quick Setup and Convenient Operation

The tripod legs can be efficiently extended and retracted using snap-lock mechanisms, which reduces the time needed to set up the rig. The PH8 head uses the Touch-and-Go quick-release system, which simplifies equipment installation compared to traditional slide plates. The telescoping handle, which extends from 35 to 53 cm, can be mounted on either the left or right side of the head, allowing you to adjust its position to suit your preferred operating style.

Carbon Fiber Construction and Two Types of Spreaders

The carbon fiber legs provide high rigidity while keeping the tripod’s weight reasonable, which is important when frequently transporting equipment between locations. The design allows for the use of both a center brace and a bottom brace, so the tripod’s setup can be adjusted to the type of surface and available space. Interchangeable flat feet and spiked feet allow you to prepare the tripod for use on various surfaces, and the built-in spirit level makes it easy to level the tripod properly.

Designed for use in the studio and on location

The SMALLRIG AD-Pro8 uses a 75-mm hemispherical adapter and is compatible with Manfrotto 501PL quick-release plates. When folded, the tripod is 97 cm long, making it easier to prepare for transport, and the included bag simplifies storage and protects it during transport. The set also includes a center brace, a bottom brace, a smartphone mount, and an Allen wrench, so you’ll have the accessories you need to adapt the tripod to various shooting conditions.

Included in the set

- SMALLRIG AD-Pro8 tripod with PH8 head
- Center spreader
- Bottom spreader
- Allen wrench
- Carrying bag
- Smartphone mount
- User manual

Manufacturer	SMALLRIG
Model	FreeBlazer Counterbalance Carbon Fiber Video Tripod Kit AD-Pro8 4465B
Material	Carbon fiber, aluminum alloy, POM, stainless steel, silicone
Product weight	5.8 kg
Product Dimensions	990 × 165 × 165 mm
Minimum Working Height	58 cm
Maximum Working Height	196 cm
Folded Length	97 cm
Maximum Load Capacity	8 kg
Counterweight range	1–8 kg
Counterweight adjustment	6 levels – 1, 2, 3, 4, 5, 6
Tilt adjustment	4 levels – 0, 1, 2, 3

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Pan adjustment	4-step – 1, 2, 3, 4
Tilt range	+90° / -60°
Hemispherical adapter diameter	75 mm
Handle length	35–53 cm
Compatibility	Manfrotto 501PL quick-release plates
Leg Type	Flat and spiked
Spreaders	Center and bottom
Sand and dust resistance	No

GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_booms_selfie_sticks_tripods_and_mounts.pdf, PPWR: https://ppwr.innpro.pl/en/smallrig, Gross weight: 9420, Net weight: 5800, Box length: 107,50, Box width: 28,50, Box height: 17,50, Last delivery: 05.11.2026

Techninė specifikacija

Matmenys ir svoris	
Matmenys (I × P × A)	107,00cm × 28,00cm × 17,00cm
Svoris	9,42kg