Lindy 150m USB 2.0 Cat.6 Extender

Gamintojas: **LINDY** · Modelis: **43391** · EAN: **4002888433914** · Prekės kodas: **997572**



230,90 € ~~266,90 €~~

Kaina su PVM

Be PVM: **190,83 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extends a single USB port up to 150m using Cat.6 network cable (not included)
- ✓ Plug & Play installation, OS independent
- ✓ Perfect for use with USB 2.0 devices such as storage devices, webcams, printers, scanners, mice and keyboards
- ✓ Supports USB 2.0 High Speed and USB 1.1 Full Speed / Low Speed







Aprašymas

The Lindy 150m USB 2.0 Cat.6 Extender can be used to extend the distance between a USB peripheral device and host computer by up to 150m. It consists of a transmitter unit which connects to the computer and a receiver unit that connects to the device. Standard Cat.6 network cable (not included) is then used to bridge the connection between the two units. For best performance and compatibility, we recommend the use of solid core patched cables.

This USB 2.0 Extender is suitable for many long-distance applications like remote printing, camera surveillance or controlling machines. This USB 2.0 Extender is supplied with a power adapter for the receiver unit to ensure secure and uninterrupted power. The robust metal housing makes it ideal for rugged environments.

Techninė specifikacija

Technical details

Type	Console transmitter & receiver
Data transfer rate	480 Mbit/s
Maximum transfer distance	150 m
Product colour	Black
Housing material	Metal
LED indicators	Activity, Power
Cable types supported	Cat6
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Plug and Play	Yes
Sustainability compliance	Yes
Ports & interfaces	
USB 2.0 Type-A ports quantity	1
USB 2.0 Type-B ports quantity	1
RJ-45 ports quantity	2
DC-in jack	Yes
Weight & dimensions	
Width	67 mm
Depth	32 mm
Height	25 mm
Transmitter weight	84 g
Receiver weight	84 g
Package width	220 mm
Package depth	194 mm
Package height	60 mm
Package weight	600 g
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Packaging content	
Manual	Yes
Power	
Power source type	DC
Output voltage	5 V

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Output current	3 A
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 24,00cm × 7,00cm

Dokumentai ir vaizdo įrašai

› Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Atitikties deklaracija