Brother DCP-L2640DN multifunction printer Laser A4 1200 x 1200 DPI 34 ppm

Gamintojas: **BROTHER** · Modelis: **DCP-L2640DN** · EAN: **4977766831758** · Prekės kodas: **999809**



245,90 €

Kaina su PVM

Be PVM: **203,22 €**


Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Home & office Laser Mono printing
- ✓ 1200 x 1200 DPI
- ✓ Printing colours: Black
- ✓ A4 34 ppm
- ✓ Mono copying Colour scanning
- ✓ Brother iPrint & Scan
- ✓ Direct printing
- ✓ USB port Ethernet LAN
- ✓ Internal memory: 256 MB
- ✓ 10.3 kg






Aprašymas

Sound pressure level (standby): 30 dB | Maximum copy size: A4 | Paper tray 1 input capacity: 250 sheets | Scan to: Image | Height: 319 mm | N-in-1 copy function (N=): 2 | Copying: Mono copying | Scan to: FTP | Custom media length: 127 - 355.6 mm | Copy speed (black, normal quality, A4): 34 cpm | Windows operating systems supported: Windows 11 | Server operating systems supported: Windows Server 2022 | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Cabling technology: 10/100Base-T(X) | Linux operating systems supported: Yes | Width: 410 mm | Scan to: E-mail | Optical scanning resolution: 1200 x 1200 DPI | Input colour depth: 30 bit | Scan to: OCR | Copier resize: 25 - 400% | Scan to: File | Wi-Fi: No | Cables included: AC | Auto document feeder (ADF) input capacity: 50 sheets | Package width: 580 mm | Auto Document Feeder (ADF) media weight: 60 - 105 g/m² | Server operating systems supported: Windows Server 2019 | Faxing: No | N-in-1 copy function (N=): 4 | Mobile printing technologies: Brother iPrint & Scan | USB port: Yes | Print technology: Laser | Duplex scanning: No |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Package height: 434 mm | Mac operating systems supported: Mac OS X 13.0 Ventura | Mac operating systems supported: Mac OS X 11.0 Big Sur | Mac operating systems supported: Mac OS X 14.0 Sonoma | Number of print cartridges: 1 | Package depth: 517 mm | Internal memory: 256 MB | Mac operating systems supported: Mac OS X 12.0 Monterey | Printing: Mono printing | Image formats supported: JPEG | Quick installation guide: Yes | Custom media width: 76.2 - 215.9 mm | Market positioning: Home & office | Display number of lines: 2 lines | Scanner type: ADF scanner | Image formats supported: TIFF | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Maximum scan resolution: 19200 x 19200 DPI | Depth: 399 mm | Operating temperature (T-T): 10 - 32.5 °C | Package weight: 13.9 kg | Storage relative humidity (H-H): 35 - 85% | AC input voltage: 220 - 240 V | Built-in display: Yes | Display: LCD | Operating relative humidity (H-H): 20 - 80% | Product colour: Black | Power consumption (off): 0.08 W | Storage temperature (T-T): 0 - 40 °C | Weight: 10.3 kg | Ethernet LAN data rates: 10,100 Mbit/s | AC input frequency: 50/60 Hz | Envelopes sizes: DL | Print speed (black, normal quality, A4/US Letter): 34 ppm | ISO B-series sizes (B0...B9): B5 | Warnings: Do not cover the ventilation openings during operation. | Multi-Purpose Tray media weight: 60 - 230 g/m² | Scan drivers: WIA | Maximum resolution: 1200 x 1200 DPI | Duplex functions: Print | Control type: Buttons | Power consumption (copying): 490 W | IP address filtering: Yes | Scan drivers: ICA | Scan technology: CIS | Output colour depth: 24 bit | Cartridge(s) included: Yes | Duplex printing: Yes | Warnings: Avoid contact with liquids and moisture. | Time to first copy (black, normal): 10 s | Scan drivers: SANE | Maximum ISO A-series paper size: A4 | Maximum duty cycle: 35000 pages per month | Maximum number of copies: 99 copies | Time to first page (black, normal): 8.5 s | Output greyscale depth: 8 bit | Envelopes sizes: Monarch | Printing colours: Black | Duplex printing mode: Auto | Warranty card: Yes | Envelopes sizes: C5 | Warnings: Connect the appliance to a grounded electrical outlet. | Power consumption (ready): 43 W | Power consumption (printing): 470 W | Envelopes sizes: Com-10 | ISO B-series sizes (B0...B9): B6 | Scan drivers: TWAIN | Document formats supported: PDF | Power consumption (sleep): 4.1 W | Non-ISO print media sizes: Legal | Multi-Purpose tray input capacity: 1 sheets | Maximum copy resolution: 600 x 600 DPI | Energy saving mode: Yes | Colour display: No | Non-ISO print media sizes: Letter | Greyscale levels: 256 | Other operating systems supported: ChromeOS | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A6 | Sound pressure level (printing): 49 dB | Sound power level (printing): 66.3 dB | Duplex copying: No | Watermark printing: Yes | Secure printing: Yes | Multi-Purpose tray: Yes | Duplex print speed (black, normal quality, A4/US Letter): 16 ppm | Total number of input trays: 1 | N-in-1 copy function: Yes | Total output capacity: 120 sheets | Manual feeder: Yes | Sound pressure level (quiet mode): 44 dB | N-in-1 print function: Yes | Booklet printing function: Yes | Total input capacity: 301 sheets | Included cartridge capacity (black): 1200 pages | Input greyscale depth: 10 bit | Paper tray media weight: 60 - 163 g/m² | Print resolution black: 1200 x 1200 DPI | Page description languages: PDF 1.7 | Energy Star Typical Electricity Consumption (TEC): 0.39 kWh/week | Page description languages: BR-Script 3 | Page description languages: PCL 6 | Poster printing function: Yes | Paper tray media types: Recycled paper | Paper tray media types: Plain paper | N-up printing: 25 | Paper tray media types: Thick paper | N-up printing: 9 | Paper tray media types: Thin paper | Paper tray media types: Bond paper | N-up printing: 4 | Paper tray media types: Letterhead | Paper tray media types: Labels | N-up printing: 2 | N-up printing: 16 | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Supported network protocols (IPv6): NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, klient SMTP, serwer FTP, SNMPv1/v2c/v3, serwer HTTP/HTTPS, klient i serwer TFTP, ICMPv6, Usługi sieci Web (Dr

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	34 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm
Time to first page (black, normal)	8.5 s
N-in-1 print function	Yes
N-up printing	2, 4, 9, 16, 25

Watermark printing	Yes
Secure printing	Yes
Booklet printing function	Yes
Poster printing function	Yes

Copying

Copying	Mono copying
Duplex copying	No
Maximum copy resolution	600 x 600 DPI
Maximum copy size	A4
Copy speed (black, normal quality, A4)	34 cpm
Time to first copy (black, normal)	10 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4

Scanning

Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	1200 x 1200 DPI
Scanner type	ADF scanner
Maximum scan resolution	19200 x 19200 DPI
Scan technology	CIS
Scan to	E-mail, FTP, File, Image, OCR
Image formats supported	JPEG, TIFF
Document formats supported	PDF
Input colour depth	30 bit
Output colour depth	24 bit
Input greyscale depth	10 bit
Output greyscale depth	8 bit
Greyscale levels	256
Scan drivers	ICA, SANE, TWAIN, WIA

Fax

Faxing	No

Features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum duty cycle	35000 pages per month
Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Page description languages	BR-Script 3, PCL 6, PDF 1.7
Input & output capacity	
Total number of input trays	1
Total input capacity	301 sheets
Total output capacity	120 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	1 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Manual feeder	Yes
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Recycled paper, Thick paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	Legal, Letter
Envelopes sizes	C5, Com-10, DL, Monarch
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 163 g/m²
Multi-Purpose Tray media weight	60 - 230 g/m²
Auto Document Feeder (ADF) media weight	60 - 105 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Ethernet LAN data rates	10,100 Mbit/s
IP address filtering	Yes
Mobile printing technologies	Brother iPrint & Scan

Performance

Internal memory	256 MB
Sound pressure level (printing)	49 dB
Sound pressure level (standby)	30 dB
Sound pressure level (quiet mode)	44 dB
Sound power level (printing)	66.3 dB

Design

Product colour	Black
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display number of lines	2 lines
Control type	Buttons
Colour display	No

Power

Power consumption (printing)	470 W
Power consumption (copying)	490 W
Power consumption (ready)	43 W
Power consumption (sleep)	4.1 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	0.39 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 11
Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Other operating systems supported	ChromeOS

Operational conditions

Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	0 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Storage relative humidity (H-H)	35 - 85%
Weight & dimensions	
Width	410 mm
Depth	399 mm
Height	319 mm
Weight	10.3 kg
Packaging data	
Package width	580 mm
Package depth	517 mm
Package height	434 mm
Package weight	13.9 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	1200 pages
Cables included	AC
Warranty card	Yes
Quick installation guide	Yes
Other features	
Energy saving mode	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	53,00cm × 59,00cm × 51,00cm
Svoris	15,20kg

Gamintojo ir saugos informacija

GAMINTOJAS

Brother Industries
Naeshiro-cho, Mizuho-ku 15-1, 467-8561 Nagoya, JP
global.brother

ATSAKINGAS ASMUO ES

Brother International Limited
avenue du Bois de la Pie 165, 95913 Roissy-en-France, FR
rsgp@brother.fr
brother.fr

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.